FILE 'HOME' ENTERED AT 16:29:17 ON 20 JAN 2004

- => file agricola biosis caplus caba
- => s hordothionin
- L1 86 HORDOTHIONIN
- => duplicate remove l1
- L2 49 DUPLICATE REMOVE L1 (37 DUPLICATES REMOVED)
- => d ti 1-49
- L2 ANSWER 1 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Sequences of soybean seed specific 7S.alpha. promoters and use for expressing genes in plants
- L2 ANSWER 2 OF 49 CABA COPYRIGHT 2004 CABI on STN
- TI Expression of an altered antimicrobial hordothionin gene in barley and oat.
- L2 ANSWER 3 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Expression of a seed-specific antifungal protein **hordothionin** gene is inhibited in the leaves of transgenic barley and oat at the preand post-translational levels.
- L2 ANSWER 4 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Enhanced resistance to Venturia inaequalis in transgenic apple by a gene coding for hordothionin.
- L2 ANSWER 5 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Constitutive expression of an endogenous antifungal protein alphahordothionin in transgenic barley.
- L2 ANSWER 6 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Binding of barley and wheat .alpha.-thionins to polysaccharides
- L2 ANSWER 7 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI NMR structural determination of viscotoxin A3 from Viscum album L.
- L2 ANSWER 8 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Transformation of barley with antifungal protein genes
- L2 ANSWER 9 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI High lysine derivatives of alpha-hordothionin.
- L2 ANSWER 10 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI High methionine derivatives of alpha-hordothionin.
- L2 ANSWER 11 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI High threonine derivatives of alpha-hordothionin.
- L2 ANSWER 12 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Increasing endosperm content of essential amino acids using genes for proteins rich in these amino acids
- L2 ANSWER 13 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI High methionine derivatives of alpha-hordothionin for pathogen-control.
- L2 ANSWER 14 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Amino acid sequence, S-S bridge arrangement and distribution in plant tissues of thionins from Viscum album.
- L2 ANSWER 15 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 3
- TI Purification and characterization of a new class of insect alpha-amylase inhibitors from barley.
- L2 ANSWER 16 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI High-methionine derivatives of .alpha.-hordothionin and the transformation of improved plant crops
- L2 ANSWER 17 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI High-threonine derivatives of .alpha.-hordothionin and the transformation of improved plant crops
- ANSWER 18 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 4
- TI Fungal membrane responses induced by plant defensins and thionins.
- L2 ANSWER 19 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

- TI Determination of the three-dimensional structure of hordothionin -alpha by nuclear magnetic resonance.
- L2 ANSWER 20 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Gibberellin-repressible gene expression in the barley aleurone layer.
- ANSWER 21 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 6
- TI Toxicity of peptides to bacteria present in the vase water of cut roses.
- ANSWER 22 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 7
- Primary structure of omega-hordothionin, a member of a novel family of thionins from barley endosperm, and its inhibition of protein synthesis in eukaryotic and prokaryotic cell-free systems.
- L2 ANSWER 23 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI 1H-NMR studies on the structure of a new thionin from barley endosperm.
- L2 ANSWER 24 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI High lysine derivatives of .alpha.-hordothionin retaining anti-fungal properties
- L2 ANSWER 25 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Structure-function validation of high lysine analogs of alphahordothionin designed by protein modeling.
- L2 ANSWER 26 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Hordothionins inhibit protein synthesis at the level of initiation in the wheat-germ system
- ANSWER 27 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 10
- TI Expression of biologically active hordothionins in tobacco. Effects of pre- and pro-sequences at the amino and carboxyl termini of the hordothionin precursor on mature protein expression and sorting.
- ANSWER 28 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 11
- TI Solution structure of gamma 1-H and gamma 1-P thionins from barley and wheat endosperm determinded by 1H-NMR: a structural motif common to toxic arthropod proteins.
- L2 ANSWER 29 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Analysis of the toxicity of purothionins and hordothionins for plant pathogenic bacteria
- L2 ANSWER 30 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Validation of the structure-function properties of alphahordothionin and derivatives through protein modeling.
- L2 ANSWER 31 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Sequence-tagged-site-facilitated PCR for barley genome mapping
- L2 ANSWER 32 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI CLONING OF A BARLEY GENE ALPHA HORDOTHIONIN AND EXPRESSION IN TRANSGENIC TOBACCO.
- L2 ANSWER 33 OF 49 CABA COPYRIGHT 2004 CABI on STN
- TI Plant biotechnology.
- L2 ANSWER 34 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI PLANT BIOTECHNOLOGY SYNTHETIC HORDOTHIONIN GENES AS TOOLS FOR BACTERIAL DISEASE RESISTANCE BREEDING.
- ANSWER 35 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 12
- A proteinase from germinated barley. II. Hydrolytic specificity of a 30 kilodalton cysteine proteinase from green malt.
- L2 ANSWER 36 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- PRIMARY STRUCTURE AND INHIBITION OF PROTEIN SYNTHESIS IN EUKARYOTIC CELL-FREE SYSTEM OF A NOVEL THIONIN GAMMA HORDOTHIONIN FROM BARLEY ENDOSPERM.

- ANSWER 37 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- TI Synthetic hordothionin genes as tools for bacterial disease resistance breeding.
- L2 ANSWER 38 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI NUCLEOTIDE SEQUENCE AND ENDOSPERM-SPECIFIC EXPRESSION OF THE STRUCTURAL GENE FOR THE TOXIN ALPHA HORDOTHIONIN IN BARLEY HORDEUM-VULGARE
- ANSWER 39 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 15
- Isolation and characterization of cDNAs coding for leaf-specific thionins closely related to the endosperm-specific hordothionin of barley (Hordeum vulgare L.).
- L2 ANSWER 40 OF 49 CABA COPYRIGHT 2004 CABI on STN
- TI Molecular genetics of barley endosperm proteins.
- L2 ANSWER 41 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI CM-proteins and thionins in cereals: characterization and cloning of cDNA
- ANSWER 42 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 16
- TI Cloning and nucleotide sequence of a cDNA encoding the precursor of the barley toxin alpha-hordothionin.
- ANSWER 43 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN POLYADENYLATION SITE HETEROGENEITY IN MESSENGER RNA ENCODING THE PRECURSOR
- OF THE BARLEY TOXIN BETA HORDOTHIONIN.
- L2 ANSWER 44 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Persistence of hordothionin in germinating barley and malt
- L2 ANSWER 45 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Proton NMR studies of barley and wheat thionins: structural homology with crambin
- L2 ANSWER 46 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Comparative analysis of the primary structure of grain thionins
- L2 ANSWER 47 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI THIONINS PLANT PEPTIDES THAT MODIFY MEMBRANE PERMEABILITY IN CULTURED MAMMALIAN CELLS.
- ANSWER 48 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN

 DUPLICATE 18
- TI External association of hordothionin with protein bodies in mature barley.
- L2 ANSWER 49 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Purothionin analogs from barley flour
- => d bib abs 37 30 24 19 12 9 2 3 5
- L2 ANSWER 37 OF 49 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- AN 91:53193 AGRICOLA
- DN IND91028412
- TI Synthetic hordothionin genes as tools for bacterial disease resistance breeding.
- AU Florack, D.E.A.; Visser, L.; Vloten-Doting, L.; Heidekamp, F.; Stiekema,
- CS Centre for Plant Breeding Research CPO, Wageningen
- AV DNAL (S494.5.B563A47)
- SO [Agricultural biotechnology in focus in the Netherlands / J.J. Dekkers, H.C. van der Plas & D.H. Vuijk (eds.)], p. 34-48
 Publisher: Wageningen, Netherlands: Pudoc, 1990.
 ISBN: 9022010082.
- NTE Includes references.
- DT Article
- FS Non-U.S. Imprint other than FAO
- LA English
- L2 ANSWER 30 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

```
DN
     PREV199345005361
TI
     Validation of the structure-function properties of alpha-
     hordothionin and derivatives through protein modeling.
     Rao, A. Gururaj [Reprint author]; Hassan, M. [Reprint author]; Hempel, J.
ΑU
     Dep. Biotechnol. Res., Pioneer Hi-Bred Int., 7250 NW 62nd Ave., Johnston,
     IA 50322, USA
SO
     Protein Engineering, (1993) Vol. 6, No. SUPPL., pp. 117.
     Meeting Info.: Winter Symposium on Advances in Gene Technology: Protein
     Engineering and Beyond. Miami, Florida, USA. 1993.
     CODEN: PRENE9. ISSN: 0269-2139.
DT
     Conference; (Meeting)
LА
     English
     Entered STN: 17 Jun 1993
     Last Updated on STN: 18 Jun 1993
     ANSWER 24 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
L2
AN
     1994:697398 CAPLUS
DN
     121:297398
     High lysine derivatives of .alpha.-hordothionin retaining
TI
     anti-fungal properties
ΙN
     Rao, A. Gururaj; Beach, Larry R.
     Pioneer Hi-Bred International, Inc., USA
PA
SO
     PCT Int. Appl., 26 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     English
FAN.CNT 1
     PATENT NO.
                      KIND DATE
                                           APPLICATION NO.
                                                            DATE
                           _____
                      ~ - - -
                                           -----
     WO 9416078
                      A2 19940721
                                           WO 1994-US382
                                                            19940112
                       A3 19940901
     WO 9416078
         W: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU,
             JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO,
             RU, SD, SE, SK, UA, UZ, VN
         RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE,
             BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG
                       AA 19940721
     CA 2161881
                                           CA 1994-2161881 19940112
     CA 2161881
                       C
                            20010327
     AU 9461622
                       A1
                            19940815
                                           AU 1994-61622
                                                            19940112
     EP 745126
                                       . EP 1994-908585
                       A1
                            19961204
                                                            19940112
                      B1
     EP 745126
                            20010912
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE
     AT 205533
                      E
                            20010915
                                           AT 1994-908585
                                                            19940112
     US 5990389
                                           US 1997-838763
                       Α
                            19991123
                                                            19970410
PRAI US 1993-3885
                       Α
                            19930113
     WO 1994-US382
                       W
                            19940112
     US 1995-369975
                       B1
                            19950106
     US 1995-575654
                       B1
                            19951220
     MARPAT 121:297398
OS
     Derivs. of .alpha.-horothionin with position-specific substitutions of
AB
     amino acids with lysine increases the lysine content of the protein while
     retaining the antifungal activity of the parent compd. The protein may be
     used for improving fungal pathogen resistance in plants and in the
     treatment of fungal infections of animals (no data). Modeling of the
     structure of the protein and sequence comparison was used to identify
     residues essential for protein structure and a series of analogs with
     substitution of lysines at non-essential sites were prepd. by Fastmoc.RTM.
     chem. and tested for antifungal activity. The proteins were active
     against Aspergillus flavus, Sclerotinia sclerotiorum, Fusarium
     graminareum, and F. moniliforme in in vitro tests.
     ANSWER 19 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
L2
     DUPLICATE 5
     1996:113949 BIOSIS
AN
DN
     PREV199698686084
     Determination of the three-dimensional structure of hordothionin
ΤI
     -alpha by nuclear magnetic resonance.
     Han, Kyou-Hoon [Reprint author]; Park, Kyu-Hwan; Yoo, Hyun-Ju; Cha, Hoon;
AU
     Suh, Se Won; Thomas, Fairwell; Moon, Tae-Sung; Kim, Seung-Moak
     Korea Res. Inst. Biosci. Biotechnol., KIST, Yusong P.O. Box 115, Taejon
CS
     305-600, South Korea
     Biochemical Journal, (1996) Vol. 313, No. 3, pp. 885-892.
     ISSN: 0264-6021.
DT
    Article
LA
    English
     Entered STN: 12 Mar 1996
     Last Updated on STN: 12 Mar 1996
AΒ
    The high-resolution three-dimensional solution structure of the plant
     toxin hordothionin-alpha obtained from Korean barley was
     determined by using two-dimensional NMR techniques combined with distance
     geometry and restrained molecular dynamics. Experimentally derived
     restraints including 292 interproton distances from nuclear Overhauser
     effect measurements, 16 hydrogen bond restraints together with four
```

disulphide bridge restraints were used as input to calculations of

AN

1993:287236 BIOSIS

distance geometry and restrained molecular dynamics. Also included in the calculations were 36 vphi and 17 chi-1 torsion angles obtained from 3J-HNalpha and 3J-alpha-beta coupling constants in double quantum filtered COSY and primitive exclusive COSY experiments, respectively. The overall protein fold is similar to crambin and purothionin-alpha-1. Two alpha-helices running in opposite directions are found on the basis of 3J-HNalpha and 3J-alpha-beta and deuterium exchange rates for backbone NH protons, and encompass residues 7-18 and 22-28. These two helices are connected by a turn and form a 'helix-turn-helix' motif. A short stretch of an anti-parallel beta-sheet exists between residues 1-4 and 31-34. The two protein termini of hordothionin-alpha are 'well-anchored': the N-terminus of the protein is immobilized by this short beta-sheet whereas the C-terminus is 'pasted' to the carbonyl group of Cys-4 by a very stable hydrogen bond. The average root-mean-square differences for the backbone and heavy atoms after the restrained molecular dynamics calculations are 0.62 and 1.16 ANG respectively. These numbers represent a significant improvement over the corresponding values for the previous NMR structures of other thionins. The distance violation from the experimental interproton distances for the final structures is 0.14 ANG for all atoms.

```
L2
     ANSWER 12 OF 49 CAPLUS COPYRIGHT 2004 ACS on STN
AN
     1999:511266 CAPLUS
DN
     131:142181
ΤI
     Increasing endosperm content of essential amino acids using genes for
     proteins rich in these amino acids
IN
     Jung, Rudolf; Beach, Larry R.; Dress, Virginia M.; Rao, A. Gururaj; Ranch,
     Jerome P.; Ertl, David S.; Higgins, Regina K.
PA
     Pioneer Hi-Bred International, Inc., USA
     PCT Int. Appl., 49 pp.
SO
     CODEN: PIXXD2
DT
     Patent
LA
     English
FAN.CNT 1
                                           APPLICATION NO. DATE
     PATENT NO.
                      KIND DATE
                                           _____
                      A1
                            19990812
PΙ
     WO 9940209
                                                            19990127
                                           WO 1999-US2061
         W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,
             DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
             KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW,
             MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR,
             TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,
             FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI,
             CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                       AA 19990812
     CA 2320957
                                           CA 1999-2320957 19990127
     AU 9924876
                            19990823
                                           AU 1999-24876
                       A1
                                                            19990127
                                                           19990127
     EP 1053338
                       A1
                            20001122
                                           EP 1999-904488
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, FI
     BR 9907752
                            20020129
                       Α
                                           BR 1999-7752
                                                            19990127
     ZA 9900913
                       Α
                            19991124
                                           ZA 1999-913
                                                            19990205
                            19980209
PRAI US 1998-20716
                       Α
     WO 1999-US2061
                       W
                            19990127
     The essential amino acid content of seed endosperm is modified by the
AB
     expression of genes for storage proteins with an altered amino acid compn.
     Amino acid substitutions in the protein are selected to minimize or avoid
     disruption of the folding of the protein. In particular, analogs of
     .alpha.-hordothionin with the residues arginine-10 and lysine-45
     essential for protein folding retained are described. A gene for an
     .alpha.-hordothionin contg. 12 lysine residues was constructed
     by std. PCR methods and placed under control of the .gamma.-zein promoter.
RE.CNT 19
              THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
L2
    ANSWER 9 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN
     2000:289477 BIOSIS
     PREV200000289477
DN
    High lysine derivatives of alpha-hordothionin.
TI
ΑU
     Rao, A. Gururaj [Inventor, Reprint author]; Beach, Larry [Inventor]
CS
    Des Moines, IA, USA
     ASSIGNEE: Pioneer Hi-Bred International, Inc., Cumming, IA, USA
     US 5990389 November 23, 1999
     Official Gazette of the United States Patent and Trademark Office Patents,
SO
     (Nov. 23, 1999) Vol. 1228, No. 4. e-file.
     CODEN: OGUPE7. ISSN: 0098-1133.
\mathbf{DT}
    Patent
    English
LA
    Entered STN: 6 Jul 2000
ED
    Last Updated on STN: 7 Jan 2002
    Derivatives of alpha-hordothionin made by position-specific
    substitution with lysine residues provide lysine enrichment while
    retaining the antifungal activity of the parent compound.
```

ANSWER 2 OF 49 CABA COPYRIGHT 2004 CABI on STN

```
AN 2003:91135 CABA
DN 20033061938
TI Expression of an
```

TI Expression of an altered antimicrobial hordothionin gene in barley and oat

AU Fu, J. M.; Skadsen, R. W.; Kaeppler, H. F.; Vasil, I. K. [EDITOR]

- CS Department of Agronomy, University of Wisconsin, Madison, WI 53706, USA. jianmingfu@facstaff.wisc.edu
- Plant biotechnology 2002 and beyond. Proceedings of the 10th IAPTC&B Congress, Orlando, Florida, USA, 23-28 June, 2002, (2003) pp. 159-160. 3 ref.

Publisher: Kluwer Academic Publishers. Dordrecht

Price: Book chapter; Conference paper .

Meeting Info.: Plant biotechnology 2002 and beyond. Proceedings of the 10th IAPTC&B Congress, Orlando, Florida, USA, 23-28 June, 2002.

ISBN: 1-4020-1126-1

- CY Netherlands Antilles
- DT Journal
- LA English
- ED Entered STN: 20030606

Last Updated on STN: 20030606

An alpha-hordothionin (HTH) cDNA of nearly full-length was cloned from a cDNA library constructed from barley cv. Morex developing endosperm. A truncated cDNA version (Hth2) was developed by deleting 3[prime] and 5[prime]UTRs and the 18 nts encoding the 6 amino acids between the first methionine and the second methionine in the coding sequence. The Hth2 was cloned in pAHC25, replacing gus, and the resulting plasmid Hth2/pAHC was used for the transformation of immature embryos of barley cv. Golden Promise and calluses derived from apical meristems of an elite oat cultivar, Belle. Approximately 170 barley plants were grown in a greenhouse. Integration of the Hth2 into the barley genomes was confirmed by PCR analyses. The transgenic barley plants were derived from at least 6 independent events as demonstrated by Southern blot analysis, including 1 bar-only line which probably resulted from plasmid fragmentation. Northern blot analysis showed that all lines had mRNAs transcribed from the transgene Hth2 except the bar-only line. Seventy oat plants were grown in the greenhouse. Stable transformation was confirmed by PCR analysis. Southern blot analysis showed that the plants were derived from at least 15 independent events, including 3 bar-only lines. Similar to barley, HTH

- L2 ANSWER 3 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AN 2002:587733 BIOSIS
- DN PREV200200587733
- TI Expression of a seed-specific antifungal protein hordothionin gene is inhibited in the leaves of transgenic barley and oat at the preand post-translational levels.
- AU Fu, Jianming [Reprint author]; Abebe, Tilahun; Federico, Maria; Kaeppler, Heidi; Skadsen, Ron [Reprint author]
- CS Cereal Crops Research Unit, USDA/ARS, Fargo, ND, USA jianmingfu@facstaff.wisc.edu
- SO Plant Biology (Rockville), (2002) Vol. 2002, pp. 61-62. print.
 Meeting Info.: Annual Meeting of the American Society of Plant Biologists
 on Plant Biology. Denver, CO, USA. August 03-07, 2002. American Society of
 Plant Biologists.
- DT Conference; (Meeting)
- Conference; Abstract; (Meeting Abstract)

mRNA was detected in transgenic oat.

- LA English
- ED Entered STN: 13 Nov 2002 Last Updated on STN: 13 N

Last Updated on STN: 13 Nov 2002

- L2 ANSWER 5 OF 49 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AN 2001:384780 BIOSIS
- DN PREV200100384780
- TI Constitutive expression of an endogenous antifungal protein alphahordothionin in transgenic barley.
- AU Fu, Jianming [Reprint author]; Sathish, Puthigae [Reprint author]; Federico, Maria L. [Reprint author]; Kaeppler, Heidi F. [Reprint author]; Skadsen, Ron
- CS Agronomy Dept. of Wisconsin-Madison, Madison, WI, 53706, USA jianmingfu@facstaff.wisc.edu
- SO In Vitro Cellular and Developmental Biology Animal, (March, 2001) Vol. 37, No. 3 Part 2, pp. 25.A. print.

 Meeting Info.: Congress on In Vitro Biology. St. Louis, Missouri, USA. June 16-20, 2001. Society for In Vitro Biology.
- ISSN: 1071-2690.
 DT Conference; (Meeting)
 - Conference; Abstract; (Meeting Abstract)
- LA English
- ED Entered STN: 15 Aug 2001
 - Last Updated on STN: 19 Feb 2002

| | τ | | 1 | Document ID | Issue-Date | Title | Inventor | S | C |
|---|---|------------|-----|-------------------------|------------|---|--|---|---|
| | × | <u> </u> | | US 6677503 B1 | 20040113 | Sunflower anti-pathogene proteins and genes and their uses | Bidney, Dennis L. et | | |
| | × | 3 [| | US 6670467 B2 | 20031230 | Maize promoters | Barbour, Eric et al. | | |
| | × | 3 [| | US 6667427 B1 | 20031223 | Sclerotinia-inducible promoters and their uses | Bao, Zhangmeng et al. | | |
| | × | 3 [| | US 20030232764 A1 | 20031218 | Use of macrolides in pest control | Hofer, Dieter et al. | | |
| · | × | 3 [| | US 20030229918 A1 | 20031211 | Seed specific USP promoters for expressing genes in plants | Wang, Qi et al. | | |
| | × | 3 [| | US 20030200557 A1 | 20031023 | MAIZE PROMOTERS | Barbour, Eric et al. | | |
| | × | 4 [| | US 6617498 B1 | 20030909 | Inducible promoters | Bruce, Wesley B. et al. | | |
| | × | 3 [| | US 20030167526 A1 | 20030904 | Compositions and methods for identifying transformed cells | Lowe, Keith S. et al. | | |
| | × | 3 [| | US 20030166855 A1 | 20030904 | Lipoxygenase polynucleotides and methods of use | Navarro Acevedo, Pedro A. et al. | | |
|) | × | 3 [| | US 20030153591 A1 | 20030814 | Use of insecticides in pest control | Lee, Bruce | | |
| | × | 3 [| | US 20030150024 A1 | 20030807 | Plant MSH2 sequences and methods of use | Kipp, Peter B. et al. | | |
| 2 | × | 3 [| | US 20030148965 A1 | 20030807 | Use of macrolides in pest control | Hofer, Dieter et al. | | |
| 3 | × | 3 [| | US 20030140381 A1 | 20030724 | Genes and regulatory DNA sequences associated with stress-related gene expression in plants and methods of using the same | Bate, Nicholas J. et al. | | |
| 1 | × | 3 [| | US 20030135889 A1 | 20030717 | Methods for enhancing plant transformation frequencies | Ross, Margit C. et al. | | |
| 5 | X | 1 [| ם | US 20030106088 A1 | 20030605 | Vascular tissue preferred promoters | Abbitt, Shane E. et al. | | |
| 5 | × | 3 [| | US 20030097690 A1 | 20030522 | Maize promoters | Barbour, Eric et al. | | |
| , | × | 1 [| _ | US 20030097689 A1 | 20030522 | Seed-preferred promoters from end genes | Linnestad, Casper et al. | | |
| | × | 1 [| ⊐ | US 20030096985 A1 | 70030377 | Small and cysteine rich antifungal defensin and thionin-like protein genes highly expressed in the incompatible interaction | Oh, Boung-Jun et al. | | |
| | × | | ם | US 20030093828 A1 | 20030515 | Seed specific 7Salpha promoter for expressing genes in plants | Wang, Qi et al. | | |
|) | × | | ן כ | US 20030050326 A1 | 20030313 | Use of neonicotinoids in pest control | Lee, Bruce et al. | | |

| | τ | 1 | Document ID | Issue Date | Title | Inventor | S | C |
|----|---|------------|-------------------------|------------|---|--|---|---|
| 21 | × | 1 C | US 20030046724 A1 | 20030306 | Methods of transforming plants and identifying parental origin of a chromosome in those plants | Ranch, Jerome P. et al. | | |
| 22 | × | | US 6528704 B1 | 20030304 | Seed-preferred promoters from end genes | Linnestad, Casper et al. | | |
| 23 | × | | US 20030033632 A1 | 20030213 | Maize proteinase inhibitor-like polynucleotides and methods of use | Crane, Virginia C. et al. | | |
| 24 | X | | US 6512165 B1 | 20030128 | Methods for enhancing plant transformation frequencies | Ross, Margit C. et al. | | |
| :5 | × |] [| US 6504084 B1 | 20030107 | Maize NPR1 polynucleotides and methods of use | Crane, III, Edmund H. et al. | | |
| 26 | X | 1 [| US 6504083 B1 | 20030107 | Maize Gos-2 promoters | Barbour, Eric et al. | | |
| 27 | × | 1 [| US 20020188965 A1 | 20021212 | Methods of transforming plants | Zhao, Zou-Yu et al. | | |
| 8 | X | 1 [| US 6486157 B1 | 20021126 | Use of insecticides in pest control | Lee, Bruce | | |
| 29 | × | 1 [| US 20020170094 A1 | 20021114 | Maize NPR1 polynucleotides and methods of use | Crane, Edmund H. III et al. | | |
| 30 | × | | US 20020152500 A1 | 20021017 | Tissue-preferred promoter from maize | Niu, Xiaomu et al. | | |
| 31 | × | | US 20020148007 A1 | 20021010 | Seed-preferred promoter from barley | Jiao, Shuping et al. | | |
| 32 | X | | US 20020138879 A1 | 20020926 | Agrobacterium mediated transformed sorghum | Cai, Tishu et al. | | |
| 3 | × | | US 20020132350 A1 | 20020919 | Targeted genetic manipulation using Mu bacteriophage cleaved donor complex | Suzuki, Hideki et al. | | |
| 34 | × | | US 20020120961 A1 | 20020829 | Methods for transforming immature maize embryos | Ranch, Jerome P. et al. | | |
| 35 | × | | US 20020108149 A1 | 20020808 | Methods of increasing polypeptide accumulation in plants | Gruis, Darren B. et al. | | |
| 36 | × | | US 20020108144 A1 | 20020808 | Anti-microbial protein | Manners, John Michael et al. | | |
| 37 | × | | US 6429362 B1 | 20020806 | Maize PR-1 gene promoters | Crane, Virginia C. | | |
| 8 | X | | US 20020094575 A1 | 20020718 | Compositions and methods for stable transformation using Mu bacteriophage cleaved donor complex | Suzuki, Hideki | | |
| 9 | X | | US 20020088021 A1 | 20020704 | Rice MLH1 ortholog and uses thereof | Mahajan, Pramod B. | | |
| 0 | X | | US 20020083493 A1 | 20020627 | Major latex protein gene and promoter and their uses | Acevedo, Pedro A. Navarro et al. | | |
| 1 | X | | US 6407315 B1 | 20020618 | Seed-preferred promoter from barley | Jiao, Shuping et al. | | |

| | U | 1 | Document ID | Issue Date | Title | Inventor | S | C |
|----|---|---|-------------------------|------------|---|--------------------------------------|---|---|
| 42 | X | | US 6403862 B1 | 20020611 | Seed-preferred promoter from maize | Jiao, Shuping et al. | | |
| 43 | Ø | | US 20020069426 A1 | 20020606 | Methyl-D-erythritol phosphate pathway genes | Boronat, Albert et al. | | |
| 44 | Ø | | US 6388066 B1 | 20020514 | MAR/SAR elements flanking RSYN7-driven construct | Bruce, Wesley B. et al. | | |
| 45 | Ø | | US 6369298 B1 | 20020409 | Agrobacterium mediated transformation of sorghum | Cai, Tishu et al. | | |
| 46 | × | | US 20020023278 A1 | 20020221 | Genetic transformation in plants using site-specific recombination and wide hybridization | Lyznik, Leszek Alexander et | | |
| 47 | Ø | | US 20010047092 A1 | 20011129 | Novel plant promoters and methods of use | Bruce, Wesley B. et al. | | |
| 48 | | | US 6300489 B1 | 20011009 | Small and cysteine rich antifungal defensin and thionine-like protein genes highly expressed in the incompatible interaction | Oh, Boung-Jun et | Ø | |
| 49 | Ø | | US 6297056 B1 | 20011002 | Brassica transformation via microprojectile bombardment | Tulsieram, Lomas et al. | | |
| 50 | × | | US 20010025380 A1 | 20010927 | Family of maize PR-1 genes and promoters | Crane, Virginia C. | | |
| 51 | Ø | | US 6291666 B1 | 20010918 | Spike tissue-specific promoter | Puthigae, Sathish et al. | | |
| 52 | Ø | | US 6271437 B1 | 20010807 | Soybean gene promoters | Jessen, Holly J. et al. | | |
| 53 | × | | US 6271368 B1 | 20010807 | Recombinant mistletoe lectin (rML) | Lentzen, Hans et al. | | |
| 54 | Ø | | US 6265638 B1 | 20010724 | Method of plant transformation | Bidney, Dennis L. et | | |
| 55 | Ø | | US 6225529 B1 | 20010501 | Seed-preferred promoters | Lappegard, Kathryn K. et al. | | |
| 56 | × | | US 6177613 B1 | 20010123 | Seed-preferred promoter | Coughlan, Sean J. et al. | | |
| 57 | X | | US 6177611 B1 | 20010123 | Maize promoters | Rice, Douglas A. | | |
| 58 | Ø | | US 6127600 A | 20001003 | Methods of increasing accumulation of essential amino acids in seeds | Beach, Larry et al. | | |
| 59 | × | | US 6080913 A | 20000627 | Binary methods of increasing accumulation of essential amino acids in seeds | Tarczynski, Mitchell C. et al. | | |
| 60 | × | | US 6015891 A | 20000118 | Synthetic insecticidal crystal protein gene having a modified frequency of codon usage | Adang, Michael J. et al. | | |
| 61 | Ø | | US 6013523 A | 20000111 | Transgenic plants comprising a synthetic insecticidal crystal protein gene having a modified frequency of codon usage | Adang, Michael J. et al. | | |
| 62 | Ø | | US 5994521 A | 19991130 | Full length transcript (FLt) promoter from figwort mosaic caulimovirus (FMV) and use to express chimeric genes in plant cells | Maiti, Indu B. et al. | | |
| 63 | × | | US 5990389 A | 19991123 | High lysine derivatives of .alphahordothionin | Rao, A. Gururaj et al. | | |
| 64 | × | | US 5936140 A | 19990810 | | Beach, Larry Ray | | |
| 65 | Ø | | US 5885802 A | 19990323 | High methionine derivatives of .alphahordothionin | Rao, Aragula Gururaj | | |

| | U | 1 | Document ID | Issue Date | Title | Inventor | S | C |
|----|---|-----|------------------|------------|---|---------------------------------|---|---|
| 66 | | | US 5885801 A | 19990323 | High threonine derivatives of .alphahordothionin | Rao, Aragula Gururaj | Ø | |
| 67 | Ø | | US 5850024 A | 19981215 | Reduction of endogenous seed protein levels in plants | Beach, Larry et al. | | |
| 68 | Ø | | US 5850019 A | 19981215 | Promoter (FLt) for the full-length transcript of peanut chlorotic streak caulimovirus (PCLSV) and expression of chimeric genes in plants | Maiti, Indu B. et al. | 0 | |
| 69 | Ø | | US 5885802 A | 19980902 | New modified alpha-hordothionin having methionine amino acid substrs to increase the methionine content of e.g. animal feed | RAO, G A et al. | | |
| 70 | Ø | | US 5885801 A | 19980902 | New modified alpha-hordothionin having threonine amino acid substns to increase the threonine content of e.g. animal feed | RAO, G A et al. | | |
| 71 | Ø | | US 5717061 A | 19980210 | Synthetic antimicobial peptides | Rao, A. Gururaj et al. | | |
| 72 | Ø | | US 5703049 A | 19971230 | High methionine derivatives of .alphahordothionin for pathogen-control | Rao, Aragula Gururaj | | |
| 73 | | | US 5703049 A | 19971230 | Killing and inhibiting phytopathogenic microorganisms - by expressing methionine rich alpha-hordothionin, useful in, e.g. improving plant feed formulations | RAO, A G | × | |
| 74 | Ø | | US 5607914 A | 19970304 | Synthetic antimicrobial peptides | Rao, A. Gururaj et al. | | |
| 75 | Ø | | WO 9638563 A1 | 19961205 | HIGH METHIONINE DERIVATIVES OF alpha -HORDOTHIONIN | RAO, GURURAJ A | | |
| 76 | Ø | | WO 9638562 A1 | 19961205 | HIGH THREONINE DERIVATIVES OF alpha -HORDOTHIONIN | RAO, ARAGULA GURURAJ | | |
| 77 | Ø | | US 5580852 A | 19961203 | Derivatives of tachyplesin having inhibitory activity towards plant pathogenic fungi | Putnam, Rebecca J. et al. | | |
| 78 | X | | US 5567600 A | 19961022 | Synthetic insecticidal crystal protein gene | Adang, Michael J. et al. | | |
| 79 | Ø | | US 5488035 A | 19960130 | Peptide with inhibitory activity towards plant pathogenic fungi | Rao, Aragula G. | | |
| 80 | Ø | | US 5464944 A | 19951107 | Synthetic antifungal peptides | Rao, A. Gururaj et al. | | |
| 81 | X | | US 5380831 A | 19950110 | Synthetic insecticidal crystal protein gene | Adang, Michael J. et al. | | |
| 82 | × | | WO 9416078 A2 | 19940721 | | RAO, A GURURAJ et al. | | |
| 83 | X | 11. | WO 9416078 A1 | 19940721 | HIGH LYSINE DERIVATIVES OF ALPHA-HORDOTHIONIN | RAO, A GURURAJ et al. | | |
| 84 | X | | EP 745126 B | 19940721 | | BEACH, L R et al. | | |
| 85 | × | | EP 502718 A | : | SVILLIGIC DIVICIUS C.2. ACHENOCONICONODIC NORMONE MAYAMM | DUVICK, J et al. | | |

| | P | 2 | 3 |
|----|---|---|---|
| 66 | | | |
| 67 | 0 | | |
| 68 | | | |
| 69 | | | |
| 70 | | | |
| 71 | | | |
| 72 | | | |
| 73 | | | _ |
| 74 | | | |
| 75 | | | |
| 76 | | | |
| 77 | | | |
| 78 | | | |
| 79 | | | |
| 80 | | | |
| 81 | | | |
| 82 | | | |
| 83 | | | |
| 84 | | | |
| 85 | | | |

•

.